

INDEX MAPS.

T. 21N, R. 9E. 2nd Mer.

	417	417	417	416	416	416						
419	6	442	5	436	4	432	3	428	2	423	1	414
	442		441		436		431		426		423	
419	7	441	8	435	9	431	10	426	11	423	12	414
	441		440		435		431		426		422	
418	18	440	17	434	16	430	15	426	14	422	13	415
	439		439		434		430		426		421	
418	19	439	20	434	21	430	22	425	23	421	24	415
	438		438		433		429		425		421	
418	30	438	29	433	28	429	27	425	26	420	25	415
	437		437		432		429		424		420	
417	31	436	32	432	33	428	34	424	35	419	36	415
	414		413		413		413		413		413	

T. 22N, R. 9E. 2nd Mer.

	449		449		449		448		448		448	
451	6	471	5	466	4	462	3	459	2	455	1	448
	471		470		465		462		458		455	
451	7	470	8	465	9	462	10	458	11	454	12	447
	470		469		465		461		458		454	
451	18	469	17	465	16	461	15	457	14	453	13	447
	469		468		464		461		457		453	
450	19	468	20	464	21	461	22	457	23	453	24	447
	468		467		464		460		456		452	
450	30	467	29	463	28	460	27	456	26	452	25	446
	467		467		463		460		456		452	
450	31	466	32	463	33	459	34	455	35	451	36	446
	446		446		445		445		445		445	

Meanders 4471

43

Township 21 North, Range 9 East 2nd Mer. Indiana.

South Boundary.

Var-

West on S. Side of Sec. 36-

- 40.00 Set q. Sec. post from which
an ash 8 in. dia. bears N 23 E 15 W. dist. 8
a Do 8 " " " S 30 E 3 " "
- 80.00 Set post cu. to Secs. 35 & 36 from which
a Hickory 20 in. dia. bears N 74 E 11 W. dist. 8
an Elm 12 " " " S 74 W 12 " "

West on S. Side of Sec. 35-

- 40.00 Set q. Sec. post from which
an Oak 36 in. dia. bears N 83 E 46 W. dist. 8
a Hornbeam 6 " " " S 53 W 3 " "
- 80.00 Set post cu. to Secs. 34 & 35 from which
an ash 16 in. dia. bears N 2 W 12 W. dist. 8
a Beech 12 " " " S 33 W 33 " "

West on S. Side of Sec. 34-

- 40.00 Set q. Sec. post from which
a Beech 18 in. dia. bears S 76 E 4 W. dist. 8
a Do 20 " " " S 70 W 34 " "
- 80.00 Set post cu. to Secs. 33 & 34 from which
a Beech 18 in. dia. bears N 45 W 19 W. dist. 8
a Do 24 " " " N 73 E 16 " "

West on S. Side of Sec. 33-

- 40.00 Set q. Sec. post from which
a Hornbeam 12 in. dia. bears N 43 E 22 W. dist. 8
a Beech 14 " " " S 11 W 13 " "
- 80.00 Set post cu. to Secs. 32 & 33 from which
an ash 12 in. dia. bears N 38 W 15 W. dist. 8
a Beech 12 " " " N 72 E 10 " "

West on S. Side of Sec. 32

- 40.00 Set q. Sec. post from which-

of D. N. - H. G. E. 2nd Mer. Indiana.

at Bur Oak 18 in. dia. bears $N 88^{\circ} W 19$ W. dir. δ
 a Do 18 " " " $N 6 E 22$ " "
 80.00 Set post Cu. to Sec. 31 & 32 from which
 an Ironwood 8 in. dia. bears $N 80^{\circ} W 3$ W. dir. δ
 a Do 10 " " " $N 28 E 11$ " "

West on E. Side of Sec. 31
 40.00 Set q. Sec. Post from which
 at Beech 10 in. dia. bears $N 59 E 33$ W. dir. δ
 a Sugar 14 " " " $N 37 W 12$ " "
 78.00 Intersect Range line 15.00 S. of Temp.
 Post, where set post Cu. to Towns 20 & 21 North.
 Ranges 8 & 9 East from which
 at Beech 30 in. dia. bears $N 37 W 30$ W. dir. δ
 a Do 14 " " " $N 3 W 32$ " "
 Description of Land & Timber on these
 last six miles. Omitted —

East Boundary - Var. $7^{\circ} 00' E$

South on E. Side of Sec. 1
 19.80 at Hickory 14 in. dia.
 40.00 Set q. Sec. Post from which
 at Hornbeam 6 in. dia. bears $N 84 W 8$ W. dir. δ
 a Dogwood 8 " " " $N 75 E 24$ " "
 58.85 at Hickory 18 " "
 80.00 Set post Cu. to Sec. 1 & 12 from which
 at Oak 30 in. dia. bears $N 15 W 21$ W. dir. δ
 at Bur Oak 42 " " " $N 8 W 18$ " "
 Beech, Hickory & Oak Saw. ang^l - Spice.

South on E. Side of Sec. 12
 6.54 an Oak 18 in. dia. bears
 40.00 Set q. Sec. Post from which
 at Oak 9 in. dia. bears $N 77 W 34$ W. dir. δ
 an Ash 14 " " " $N 45 E 21$ " "

415

T. G. N. R. G. E. J. ^{2d} Mer. Indiana.

53.00 an Ash 36 in. dia.

80.00 Set post cen. to Secs. 12 & 13 from which
an Ash 6 in. dia. bears S 21 W 11 W. dist. 8
a Hickory 12 " " " N 10 W 32 " "
Sand &c same as on the last line.

South on E. Side of Sec. 13

9.30 an Elm 30 in. dia.

40.00 Set q. Sec. post from which
a Hornbeam 9 in. dia. bears S 48 W 17 W. dist. 8
a W. Oak 12 " " " N 70 E 5 " "
80.00 Set post cen. to Secs. 13 & 14 from which
an Ash 14 in. dia. bears S 16 W 6 W. dist. 8
a Do 16 " " " N 31 W 6 " "
Sand &c same as on the last line

South on E. Side of Sec. 14

40.00 Set q. Sec. post from which
a Cherry 12 in. dia. bears N 2 E 18 W. dist. 8
an Ash 6 " " " S 9 W 2 " "

80.00 Set post cen. to Secs. 14 & 15 from which
a Beech 24 in. dia. bears S 66 E 19 W. dist. 8
a Do 20 " " " S 6 W 29 " "
Sand &c same as on the last line.

South on E. Side of Sec. 15

40.00 Set q. Sec. post from which
a R. Oak 20 in. dia. bears S 27 E 25 W. dist. 8
a W. Oak 30 " " " N 2 W 23 " "

80.00 Set post cen. to Secs. 15 & 16 from which
an Elm 24 in. dia. bears N 60 E 12 W. dist. 8
a W. Oak 12 " " " S 52 W 35 " "
Sand &c same as on the last line.

South on E. Side of Sec. 16

40.00 Set q. Sec. post from which -

S. D. N. R. 9 E. 2nd Mer. Indiana

a Buck 18 in. dia. bears S 88 E 20 W. dist. 10
 a B. Oak 20 " " " 46 E 14 " "
 80.00 To the established Town Corner -
 Bearings at the Corner - T. 20 + 21 N. R. 9 + 10 E.
 a Hickory 18 in. dia. bears N 36 W 27 W. dist. 10
 a Do 18 " " " 43 E 30 " "
 Land & same as in the last line -
 December 31st 1819 -

North Boundary

Var. 6 + 15' E -

West on S. Side of Sec. 36 T. 22 N. R. 9 E -

40.00 Let q. Sec. post from which

a Mulberry 10 in. dia. bears N 45 W 8 W. dist. 10

a Buck 10 " " " N 11 E 9 " "

80.00 Let post en. to Sec. 35 & 36 from which

an Elm 10 in. dia. bears N 6 W 13 W. dist. 10

a Do 8 " " " N 85 E 16 " "

Rich land, Timber Buck, ash, Sugar & ung^d Spruce.

West on S. Side of Sec. 35 T. 22 N. R. 9 E -

40.00 Let q. Sec. post from which

a Buck 12 in. dia. bears N 36 E 13 W. dist. 10

a Do 8 " " " 48 W 28 " "

80.00 Let post en. to Sec. 34 & 35 from which

a Buck 12 in. dia. bears N 37 W 16 W. dist. 10

an Ironwood 8 " " " S 35 W 14 " "

Land & Timber same as in the last line -

West on S. Side of Sec. 34 T. 22 N. R. 9 E -

40.00 Let q. Sec. post from which

an Ash 10 in. dia. bears S 57 W 10 W. dist. 10

a Do 10 " " " N 36 E 9 " "

80.00 Let post en. to Sec. 33 & 34 from which

an Ash 12 in. dia. bears N 46 W 34 W. dist. 10

a Hickory 24 " " " N 37 E 34 " "

47

T. 21 N. R. 9 E. 2nd Mer. Indiana.

Land & Timber Same as on the last line.

West on E. Side of Sec. 33. T. 22 N. R. 9 E.
40.00 Set q. Sec. Post from which
an Ash 6 in. dia. bears N 60 E 3 1/2 M^{rs} dist. X
a Do 6 " " " 460 W 4 " "
80.00 Set post cor. to Secs. 32 & 33 from which
a Maple 10 in. dia. bears N 35 W 9 M^{rs} dist. X
an Elm 12 " " " 437 E 11 " "
Land & Timber Same as on the last line.

West on E. Side of Sec. 32 T. 22 N. R. 9 E.
40.00 Set q. Sec. Post from which
an Ironwood 8 in. dia. bears N 39 W 4 M^{rs} dist. X
a Do 8 " " " 435 E 11 " "
80.00 Set post cor. to Secs. 31 & 32 from which
a W. Oak 12 in. dia. bears S 35 W 12 M^{rs} dist. X
an Ash 8 " " " N 35 E 2 " "
Land & Timber Same as on the last line.

West on Side of Sec. 31 T. 22 N. R. 9 E.
40.00 Set q. Sec. Post from which
an Elm 12 in. dia. bears N 40 E 19 M^{rs} dist. X
an Ironwood 8 " " " 460 W 10 " "
82.40 Intersect Range line Set post cor. to Towns
21 & 22. North. Ranges 8 & 9 East from which
an Ash 10 in. dia. bears S 73 W 14 M^{rs} dist. X
a Spruce 12 " " " 481 E 33 " "
Land & Timber Same as on the last line
January 1st 1830—

West Boundary.

Var. 6° 35' E

North on E. Side of Sec. 36 T. 21 N. R. 8 E
5.90 a Buck 28 in. dia.
40.00 Set q. Sec. Post from which—

T. 21 N. R. 9 E. 2nd Mer. Indiana.

a Buck 20 in. dia. bears N 31-42 W. dir. 8
 a Do 12 " " " South 33 " "
 63.90 a Do 30 " "
 76.00 a buck 75 W. wide corner S.W.
 80.00 Set post cu. to Sect. 23 & 36 from which
 an Elm 30 in. dia. bears N 87 W 11 W. dir. 8
 an Ironwood 9 " " " S 87 E 20 " "
 Good Buck Land, ungth Spruce
 December 29th 1879-

North on E. Side of Sec. 25 T. 21 N. R. 8 E
 13.00 a buck 25 W. wide corner S.W.
 39.54 a branch 10 " " " N.E.
 40.00 Set q. Sec. post from which
 a Buckeye 12 in. dia. bears N 41 E 37 W. dir. 8
 a Do 12 " " " S 22 W 36 " "
 54.00 a branch 10 W. wide corner S.W.
 54.75 a Maple 24 in. dia.
 80.00 Set post cu. to Sect. 24 & 25 from which
 a Maple 6 in. dia. bears S 53 E 3 W. dir. 8
 an Ash 12 " " " N 51 E 6 " "
 Land & same as on the last line -

North on E. Side of Sec. 24 T. 21 N. R. 8 E
 22.04 a Buck 30 in. dia. 8
 40.00 Set q. Sec. post from which
 a Buck 9 in. dia. bears N 33 E 30 W. dir. 8
 a Do 12 " " " S 54 E 10 " "
 55.68 a Do 18 " "
 80.00 Set post cu. to Sect. 13 & 24 from which
 a Buck 12 in. dia. bears N 30 E 7 W. dir. 8
 a Do 20 " " " S 87 W 25 " "
 Land & same as on the last line -

North on E. Side of Sec. 13 T. 21 N. R. 8 E
 12.00 a Bur Oak 36 in. dia.

419

W. D. N. R. G. E. 2nd Mer. Indiana.

40.00 Set g. Sec. post from which
 a Beech 12 in. dia. bears N 36 W 19 W. dia. &
 a Do 10 " " " S 44 E 11 " "
 67.50 a Do 14 " "
 80.00 Set post ca. to Sec. 12 & 13 from which
 an Elm 42 in. dia. bears S 56 E 3 W. dia. &
 a Hornbeam 4 " " " N 36 W 3 " "
 Sand & Timber same as on the last line.

North on E. Side of Sec. 13 T. 21 N. R. 8 E.
 36.80 a R. Oak 48 in. dia.
 40.00 Set g. Sec. post from which
 a Spruce 12 in. dia. bears N 20 E 7 W. dia. &
 a Hornbeam 6 " " " S 20 W 10 " "
 45.30 an Elm 18 " "
 80.00 Set post ca. to Sec. 14 & 15 from which
 a Beech 24 in. dia. bears N 72 E 21 W. dia. &
 a Sugar 18 " " " S 80 W 28 " "
 Sand & same as on the last line.

North on E. Side of Sec. 1 T. 21 N. R. 8 E.
 38.34 a Hickory 24 in. dia.
 40.00 Set g. Sec. post from which
 an ash 12 in. dia. bears N 80 W 8 W. dia. &
 a Beech 12 " " " N 76 E 26 " "
 53.40 an Elm 18 " "
 80.00 Set temp. Iron corner post.
 Sand & Timber same as on the last line.
 Surveyed December 30th 1819 by
 John M. Donald D^{ist}

Subdivision

North Between Sec. 35 & 36
 16.61 a Beech 20 in. dia.
 40.00 Set g. Sec. post from which

J. D. N. R. G. E. D. Mer. Indiana

at Beech 12 in. dia. bears S 3 W 17 W. dist. 9
 a Grey Ash 18 " " " N 75 E 29 " "
 62.90 a Beech 12 " "
 65.75 a Stream 5 W. wide corner N.E.
 80.00 Let post cut to Sect. 25 & 26. 35 & 36 from which
 a Sugar 12 in. dia. bears N 10 E 10 W. dist. 9
 an Ash 14 " " " N 83 W 30 " "
 Land line 2nd rate. Beech. Sugar. Ash
 Hickory. & Angth Spice &

East on Random between Sect. 25 & 36
 17.20 a Stream 5 W. wide corner N.E.
 40.00 Let temp. q. Sec. post.
 80.36 Intersect E. Bound. line 44 W. N. of post
 Land line 2nd rate. Beech. Ash. Oak. Hickory
 & Angth Spice. Ash &

West Corner between Sect. 25 & 36
 44.18 Let q. Sec. post at average dist. from which
 an Ash 20 in. dia. bears N 61 W 20 W. dist. 9
 a Hickory 10 " " " N 13 E 16 " "
 61.74 an Elm 20 " "
 80.36 To Sec. corner.

North Return Sect. 25 & 26
 23.55 a W. Oak 26 in. dia.
 40.00 Let q. Sec. post from which
 a W. Oak 24 in. dia. bears N 46 W 14 W. dist. 9
 a Beech 10 " " " N 30 E 20 " "
 41.00 a Stream 8 W. wide corner N.W.
 45.00 Centre a Swamp
 58.00 Leave the Dr
 63.16 a Beech 18 in. dia.
 80.00 Let post cut to Sect. 23. 24. 25 & 26 from which
 a Buckeye 12 in. dia. bears N 37 W 18 W. dist. 9
 an Ash 18 " " " N 33 E 18 " "

421

S. D. N. W. Q. E. 2nd Mo. Indiana.

Land lent 3rd rate. Beech. Ash. Oak. Hick-
ory &c. Augth Spice, Briar &c

East at Random between Secs 24 & 25-

40.00 Let temp. gr. Sec. Post.

80.58 Intersect E Bound. line 7 W. & N. of post-

Land. Timber &c Same as on the last line.

West corner between Secs 24 & 25-

21.74 at Beech 10 in. dia.

40.29 Let gr. Sec. Post at an angle dir. from which
an Ironwood 4 in. dia. bears N 79 W 17 W. dist

a Do 3 " " " N 65 E 3 " "

65.78 at Beech 20 " "

80.53 To Sec. Corner. May 4th 1822-

North between Secs 23 & 24

19.37 at Beech 8 in. dia.

40.00 Let gr. Sec. Post from which

an Ash 8 in. dia. bears N 42 W 19 W. dist. of

at Beech 12 " " " N 61 E 32 " "

68.13 a Do 18 " "

78.00 Enter a Swamp

80.00 Let post ca. to Secs 13. 14. 23 & 24 from which
an Ash 10 in. dia. bears S 46 W 13 W. dist. of

a Do 20 " " " S 74 E 32 " "

Land lent 2nd rate. Beech. Ash. Hickory &c
Augth Spice, Ironwood &c

East at Random between Secs 13 & 24

1.00 Leave the Swamp-

40.00 Let temp. gr. Sec. Post.

57.50 Exit to a Swamp.

79.90 Intersect E Bound. line. 9 W. & S. of post-

Land lent. 1st 60 chains 2nd rate. the balance under
water 3rd rate. Beech. Ash. Hickory. Spice. Briar &c

J. D. N. - R. G. E. D^d Mer. Indiana.

West Corner between Secs. 13 & 24-

22.38 an Ironwood 5 in. dia.

39.95 Set gr. Sec. post at average dist. from which
a Beech 12 in. dia. was 80 W 18 W dist. &
a Do 14 " " " 468 E 25 " "

63.30 an Elm 16 " "

79.90 To Sec. corner May 5th 1832-

North Returns Secs. 13 & 14-

7.00 Leave the Swamp

27.17 an Elm 8 in. dia.

35.00 Enter a Swamp

40.00 Set gr. Sec. post from which
a Willow 8 in. dia. was 452 E 8 W dist. &
a Do 8 " " " 411 W 10 " "

75.00 Leave the Swamp

80.00 Set post cu. to Secs. 11, 12, 13 & 14 from which
a Beech 18 in. dia. was 442 E 20 W dist. &
a Do 6 " " " 489 W 23 " "

Land cont. 3^d rate, very wet & swampy.
ash. Elm &c. Rose briar B. Alder. P. ash &c.

East in Random between Secs. 12 & 13-

5.00 Enter a Swamp

17.50 Leave the Do & Enter fallen Timber

40.00 Set temp. gr. Sec. post-

78.80 Intersect E. Boundary line 19 W. E. of post
Land cont. 3^d rate. Timber in Swamp ash,
Maple, Willow &c. - Fallen Timber grown up
with P. ash. Ironwood, Hornbeam, Cherry, ash
Red briar &c. very thick

West Corner between Secs. 12 & 13-

39.40 Set gr. Sec. post at average dist. from which
an Ironwood 11 in. dia. was 421 W 73 W dist. &
a W. Oak 10 " " " 110 E 247 " "

123

J. D. N. R. G. E. 2nd Mer. Indiana

78.80 To Lee. Corner.

North Return Secs. 11 & 12

34.73 at B. Oak 36 in. dia.

36.50 Enter a Swamp

40.00 Set q. Sec. post from which
a Cherry 9 in. dia. bears S 85 W 400 ft. dia.
a B. Oak 36 " " " South 527 " "

43.50 Leave the Swamp

69.27 an Elm 22 in. dia.

70.00 Enter a Swamp.

75.00 Leave the Do

80.00 Set post on to Secs. 1, 2, 11 & 12 from which
a Honey Locust 5 in. dia. bears S 60 E 15 ft. dia.
an Elm 6 " " " N 20 W 24 " "

Sand level 3rd rate, very wet & Ash, Elm,
Hickory & Rosebuds. P. ash. & very thick

East with Random Return Secs. 1 & 12

6.00 Enter a Swamp

40.00 Set temp. q. Sec. post in Swamp

60.00 Leave the Swamp.

79.22 Enter E. Bound. line 53 ft. S. of post.

Sand level 3rd rate, under water. Ash, Oak &
maple. P. ash. Rosebuds &c

West Corner Return Secs. 1 & 12 -

18.84 at Hickory 24 in. dia.

39.61 Set q. Sec. post at angle dish from which
an Ash 32 in. dia. bears N 60 E 31 ft. dia.
an Elm 24 " " " S 19 W 4 " "

79.22 To Lee. Corner.

North Return Secs. 1 & 12 -

21.81 at Buck 16 in. dia.

40.00 Set q. Sec. post from which

W. D. N. R. G. E. 2nd Mer. Indiana.

at Buck 8 in. dia. bears S 60° W 10 W. dist. 8
 a Do 10 " " " N 4 E 12 " "
 61.61 an Ash 16 " "
 66.00 Enter a Swamp.
 82.33 Intersect Bound. line S 4 W. E. of Post
 when set Post in the edge of a Swamp. fr
 the Cn. to Sec. 2 & 1 from which
 a Maple 6 in. dia. bears N 64° W 20 W. dist. 8
 a Do 5 " " " S 63° W 9 " "
 Land 1st 1/2 mile 2nd rate. Last 1/2 mile 3rd rate.
 Swampy. Timber Buck. Ash. Elm. B. Alder &
 ungth. P. Ash. Brins &c May 6th 1832-

North Between Sec. 34 & 35
 21.30 a W. Elm 20 in. dia.
 40.00 Set q. Sec. Post from which
 a W. Ash 8 in. dia. bears S 69° E 16 W. dist. 8
 a B. Walnut " " " S 35° E 27 " "
 63.95 at Buck 7 " "
 80.00 Set Post Cn. to Sec. 26 & 27. 34 & 35 from which
 an Ash 14 in. dia. bears S 78° E 9 W. dist. 8
 a Buckeye 5 " " " S 48° W 30 " "
 Land level 2nd rate. Ash. Buck. Oak. Hickory &
 ungth. Ash. Spruce &c

East in Random between Sec. 26 & 35-
 40.00 Set temp. q. Sec. Post-
 81.50 Intersect W. line 127 W. N. of Post-
 Land level 3rd rate. Timber as before

West Corner between Sec. 26 & 35-
 26.23 a W. Elm 30 in. dia.
 40.75 Set q. Sec. Post at swamp dist. from which
 a Buck 8 in. dia. bears N 42° E 10 W. dist. 8
 a Hickory 20 " " " S 52° W 22 " "
 63.28 a W. Oak 26 " "

425

W. D. N. - R. G. E. 2nd Mer. Indiana.

81.50 To Lee. Corner.

North Return Secs. 26 & 27 -

20.00 a Buck 20 in. dia.

38.12 a Stream 15 W. side Corn W.

40.00 Set gr. Sec. post from which
a W. Elm 12 in. dia. bears S 40 W 27 W. dist. 8
a Buck 5 " " " N 28 E 30 " "

60.95 a W. Elm 24 " "

80.00 Set post con. to Secs. 23, 26 & 27 from which
a Sugar 6 in. dia. bears S 49 W 47 W. dist. 8
a W. Elm 24 " " " North 1st " "

Sand, Timber &c same as on the last line.

East on Randam Return Secs. 23 & 26 -

40.00 Set temp. gr. Sec. post

82.33 Intersect W. line 123 W. N. of post
Sand lent 3rd rate. 1000. Ash. Buck. Hickory.
Elm &c 100th Spruce, Ash. Ironwood &c

West corner Return Secs. 23 & 26 -

41.16¹/₂ Set gr. Sec. post at angle dist. from which
a Sugar 5 in. dia. bears N 6 W 46 W. dist. 8
a W. Elm 24 " " " S 8 E 22 " "

62.61 a Buck 18 " "

82.33 To Lee. Corner.

North Return Secs. 22 & 23 -

20.58 a R. Elm 8 in. dia.

40.00 Set gr. Sec. post from which
a Hornbeam 3 in. dia. bears S 67 W 11 W. dist. 8
a Oak 3 " " " S 81 E 11 " "

62.18 a Hickory 14 " "

80.00 Set post con. to Secs. 14, 15, 22 & 23 from which
a Buck 20 in. dia. bears East 13 W. dist. 8
a Do 10 " " " S 4 E 14 " "

J. D. N. R. G. E. D.^{no} Mr. Indiana.

Land Timber &c same as on the last line.

East on Random between Secs. 14 & 23-

19.30 at Brook 5 W. wide Corner N 70 W-

40.00 Lot temp. q. Sec. Post.

80.30 Erupta a Swamp.

83.00 Sutured N. line 128 W. N. of Post

Land here 2nd rate. Timber Beech. Ash. Elm.
Hickory & ungth. Ash. Spice &c.

West Corner between Secs. 14 & 23-

24.00 at Buck 18 in dia.

41.50 Lot q. Sec. Post at angle dir. from which
at Buck 5 in dia. bears S 65 W 7 W. dir. &
a Do 8 " " " N 60 E 19 " "

67.50 a Do 4 " " "

83.00 To Sec. Corner May 7th 1832.

North Return Secs. 14 & 15-

16.55 at Brook 8 W. wide Corner N.

24.46 at Buck 10 in dia.

35.90 at Brook 10 W. wide Corner S 30 W

40.00 Lot q. Sec. Post from which

at Buck 10 in dia. bears S 59 E 17 W. dir. &

a Sycamore 5 " " " N 73 W 21 " "

80.00 Lot Post in fallen Timber Cu. to Secs.

10. 11. 14 & 15 from which

a W. Elm 3 in dia. bears S 84 E 9 W. dir. &

a Do 3 " " " N 34 W 14 " "

Land here 3rd rate. 1st 1/2 mile Timber Ash. Beech.
Hickory & 1/2 mile fallen Timber. none
standing except undugrowth Ash. Dogwood.
Hickory, Elm, Cherry & very thick with Briers.

East on Random between Secs. 11 & 14-

40.00 Lot temp. q. Sec. Post

427

W. D. N. R. G. E. 2nd Mr. Indiana.

83.50 Enter at Mt. line 78 W. S. of Post
 Sand lent 3rd rate. Timber fallen. ungth
 Ash. Hornbeam. P. Ash. Ironwood. Dogwood.
 Prins & very thick

West Corner between Secs. 11 & 14.
 41.75 Set g. Sec. Post at average dist. from which
 at Beech Hill. dist. was S 43 W 21 W. dist. of
 at Hornbeam 3 " " " S 63 E 14 " "
 83.50 To Sec. Corner.

North Between Secs. 10 & 11.

15.00 Leave the fallen Timber
 21.50 Enter a Swamp.
 25.50 a W. Ash 8 in. dia.
 28.00 Leave the Swamp.
 40.00 Set g. Sec. Post from which
 an Ironwood 3 in. dia. was N 28 E 4 W. dist. of
 a Sugar 6 " " " S 68 W 14 " "
 56.00 Enter a Swamp Prairie
 64.50 Leave the " "
 67.20 a W. Elm 15 in. dia.
 68.00 Enter a Swamp Prairie
 80.00 Set Post Cor. to Secs. 2, 3, 10 & 11 from which
 a Swamp Ash 8 in. dia. was N 88 E 29 W. dist. of
 a R. Oak 10 " " " N 3 E 320 " "
 Sand lent & was 3rd rate. the 2nd & 3rd out to Cor.
 end with water from 12 to 18 in. deep. running
 off West.

East on Random between Secs. 2 & 11.

3.00 Leave the Swamp Prairie
 40.00 Set temp. g. Sec. Post
 83.94 Enter at Mt. line 78 W. S. of Post.
 Sand lent 3rd rate. sort. Beech. Ash. Elm. Hickory
 Maple & P. Ash. Prins & very thick.

J. D. N. R. G. E. J. M. C. Indiantown.

West Corner between Secs 2 & 11

25.50 at Beech 5 in. dia.

41.47 at Swamp Ash 3 in. dia. fr. g. Sec. post -
a S. Ash 5 in. dia. bears N 23 E 8 W. dist. 8
a Do 4 " " " 433 W 12 " "

82.94 To Sec. Corner.

North Between Secs 2 & 3.

3.00 Leave the Swamp Prairie.

8.50 Enter a " "

35.00 Leave the " "

34.40 at Beech 18 in. dia.

40.00 Set g. Sec. post from which

a Beech 10 in. dia. bears N 10 E 34 W. dist. 8

a Do 14 " " " 460 W 18 " "

71.22 a W. Elm 12 " "

83.05 Intersect N. Bound. line 611 W. W. of post
when set post on to Secs 2 & 3 from which
a Beech 16 in. dia. bears N 35 W 28 W. dist. 8
a Do 13 " " " 470 E 23 " "Land here 3rd rate. with Timber Beech. Ash.
Hickory. Elm & sugar. Spruce. Spruce. P. Ash &
May 8th 1846.

North Between Secs 33 & 34

20.64 at Beech 10 in. dia.

40.00 Set g. Sec. post from which

an Elm 24 in. dia. bears N 37 E 7 W. dist. 8

a Beech 10 " " " 427 W 3 " "

63.23 a Do 24 " "

80.00 Set post on to Secs 27.28.33 & 34 from which

a Beech 10 in. dia. bears N 30 E 16 W. dist. 8

a Hickory 26 " " " 428 E 12 " "

Land here 2nd rate. Timber Beech. Ash. Sugar.
Elm Oak & sugar. Spruce &

429

W. D. N. R. G. E. 2nd Mer. Indiana.

East on Random between Sects 27 & 34-

40.00 Set temp. g. Sec. Post-

81.22 Intersect M.S. line at Post-

Sand level good 2nd rate. Timber Beech. Ash.
Sugar. Hickory, Oak & ungth Spruce &c

West Mark between Sects 27 & 34-

42.43 a Beech 20 in. dia.

40.61 Set g. Sec. Post at average dist. fr. which
an Ash 4 in. dia. bears N 83° W 11 W. dist. 8
a W. Oak 30 " " " N 48° E 28 " "

62.20 a Hickory 18 " "

81.22 To Sec. Corner.

North Return Sects 27 & 28-

32.20 a Beech 20 in. dia.

40.00 Set g. Sec. Post from which
a Beech 10 in. dia. bears N 89° E 16 W. dist. 8
a Do 24 " " " S 75° W 18 " "

56.50 a Stream 10 W. side corner N.W.

59.64 an Elm 36 in. dia.

80.00 Set Post Cn. to Sects 27 & 28 fr. which
a Hickory 6 in. dia. bears S 89° W 22 W. dist. 8
an Ash 18 " " " S 86° E 12 " "

Sand rolling good 2nd rate. Timber Beech. Sugar.
Ash. Buckeye & ungth Spruce &c-

East on Random between Sects 22 & 27-

40.00 Set temp. g. Sec. Post

81.19 Intersect M.S. line 48 W. S. of Post

Sand level 2nd rate. Timber Beech. Sugar. Ash.
Elm. Oak &c-

West Corner between Sects 22 & 27-

41.98 a Sugar 2 in. dia.

40.59 Set g. Sec. Post at average dist. from which

21 N. R. G. E. 2^d Mer. Indiana.

at Beech 12 in. dia. bears 568 W. 12 W. dist. 8
 on Ironwood 3 " " " N 19 E 8 " "

81.19 To Sec. Corner.

North Return Sec. 21 & 22

17.06 at Beech 8 in. dia.

40.00 Set g. Sec. Post from which

at Beech 12 in. dia. bears N 31 E 15 W. dist. 8

at Do 16 " " " S 31 W 33 " "

54.05 at Hickory 24 " "

77.00 Enter the Swamp -

80.00 Set post on. to Sec. 15. 16. 21 & 22 from which

on Elm 4 in. dia. bears N 39 W 4 W. dist. 8

at B. Walnut 12 " " " S 68 E 13 " "

Land lent 2^d rate. Beech. Ash. Oak. Hickory.
 Ength Spruce. Ironwood & May 9th 1882.

East on Random Return Sec. 15 & 22 -

7.00 Leave the Swamp -

40.00 Set temp. g. Sec. Post -

80.72 Intersect N. line 64 W. S. of Post

Land lent 2^d rate. Timber as before -

West Corner Return Sec. 15 & 22 -

40.36 Set g. Sec. Post at average dir. from which -

at Beech 8 in. dia. bears S 3 E 33 W. dist. 8

on Ironwood 3 " " " N 17 W 5 " "

80.72 To Sec. Corner

North Return Sec. 15 & 16 -

26.73 at Beech 8 in. dia.

40.00 Set g. Sec. Post from which

at Cherry 4 in. dia. bears N 65 E 8 W. dist. 8

at Beech 20 " " " S 15 E 48 " "

48.36 at Stream 20 W. wide Corner 77 -

80.00 Set post in fallen timber on. to Sec. 9.

431

N. 21 N. R. 9 E. T^h. 2nd Mer. Indiana.

10.15 & 16 from which
 a Hickory 20 in. dia. bears N 32 E 18 W. dir. X
 a W. Ash 20 " " " S 71 W 59 " "
 Land level 2nd rate. Timber on last 10 cuts
 fallen. ungth Ironwood, Ash, Elm, Hick-
 -ory, Prins & very thick -

East on Random between Secs. 10 & 15 -
 40.00 Set temp. g. Sec. Post -
 66.20 a Stream 20 W. side corner S. M.
 81.24 Intersect N. line 77 W. S. of Post
 Land Swampy 3rd rate. Timber fallen.

West corner between Secs. 10 & 15 -
 40.02 Set g. Sec. Post at approx. dir. from which
 an Ironwood 14 in. dia. bears N 29 W 4 W. dir. X
 a Buck 7 " " " S 31 W 23 " "
 81.24 To Sec. corner.

North between Secs. 9 & 10
 12.50 Lean fallen Timber & Enter Swamp -
 21.57 an Ash 12 in. dia.
 30.00 Lean the Swamp
 40.00 Set g. Sec. Post from which
 a Buck 10 in. dia. bears N 77 E 38 W. dir. X
 an Ash 20 " " " S 19 E 6 " "
 69.13 a Buck 18 " "
 80.00 Set Post cor. to Secs. 3, 4, 9 & 10 from which
 a Hickory 10 in. dia. bears South 20 W. dir. X
 a Do 14 " " " N 5 E 8 " "
 Land level 2nd rate. Ash, Oak, Hickory, Sugar &
 ungth Spruce, Ash &c -

East on Random between Secs. 3 & 10 -
 40.01 Set temp. g. Sec. Post
 81.23 Intersect N. line 33 W. S. of Post

T. 21 N. R. 9 E. 3rd Mer. Indiana

Land Timber &c same as in the last line

West Corner Section 3 & 10

40.6¹/₂ Set g. Sec. Post at average dist. from which
an Ash 12 in. dia. bears N 70 E 8 W. dist. 8
a Beech 18 " " " S 20 E 8 " " "
81.23 To Sec. Corner.

North Return Sec. 3 & 4

44.00 Enter a Swamp.

18.00 Leave the "

18.77 an Ash 25 in. dia.

40.00 Set g. Sec. Post from which
an Elm 8 in. dia. bears N 62 W 12 W. dist. 8
an Ash 12 " " " S 11 E 19 " " "

70.97 a W. Oak 12 " " "

84.31 Intersect N. Bound. line 343 N 2 W. of Post.
where set Post C. to Sec. 3 & 4 from which
an Ash 30 in. dia. bears S 61 E 10 W. dist. 8
a Sugar 10 " " " N 2 W 25 " " "
Land lent 3rd rate. Ash. Hickory. Oak. Beech.
Maple &c ungth. P. Ash. Rosebriers &c
May 10th 1822.

North Return Sec. 32 & 33

19.00 a Stream 5 W. side Corner S. W.

40.00 Set g. Sec. Post from which
a Beech 9 in. dia. bears N 38 W 30 W. dist. 8
an Elm 4 " " " S 2 W 12 " " "

62.96 a Maple 24 " " "

80.00 Set Post C. to Sec. 28. 29. 32 & 33 p. which
a Beech 10 in. dia. bears N 3 E 29 W. dist. 8
a Do 12 " " " S 6 E 22 " " "

Land lent 2nd rate. Timber Ash. Beech. Sugar.
Oak &c ungth. Spruce. Sugar. Ash &c

433

W. D. N. R. & E. 3rd Mer. Indiana.

East wth Random between Secs. 28 & 33.

40.00 Set temp. gr. Sec. post.

81.07 Intersect Nth. line 170 Wth. N. of post
Sand & timber same as on the last line.

West Corner between Secs. 28 & 33.

20.08 a Swamp Ash 12 in. dia.

40.53¹/₂ Set gr. Sec. post at range dir. from which
a Beech 12 in. dia. bears N 57 W 30 Wth. dir. &
an ash 5 " " " " S 44 E 6 " "

61.42 a Beech 14 " "

81.07 To Sec. Corner.

North between Secs. 28 & 29.

22.90 a Sugar 15 in. dia.

40.00 Set gr. Sec. post from which
a Beech 8 in. dia. bears S 74 E 16 Wth. dir.
a Do 10 " " " " S 77 W 42 " "

66.63 a Do 10 " "

75.00 a Stream 15 Wth. wide corner W

80.00 Set post cor. to Secs. 20, 21, 28 & 29 fr. which
a Beech 4 in. dia. bears S 87 W 22 Wth. dir.
a Do 6 " " " " N 81 E 20 " "

Sand good 2nd rate, Ash, Beech, Sugar &
lingth. Spruce ash &c

East wth Random between Secs. 21 & 28.

20.25 a Stream 15 Wth. wide corner S 70 W

23.40 a Do 15 " " " " NW.

40.00 Set temp. gr. Sec. post.

81.36 Intersect Nth. line 46 Wth. N. of post
in variation of 5° 50' E.

Sand, Timber &c same as on the last line

West Corner between Secs. 21 & 28

23.44 a Beech 14 in. dia.

T. D. N. - R. G. E. D. Mer. Indianw.

40.68 Ltg. Sec. Post at amag dist. from which
a Beech 5 in. dia. bears $48^{\circ} 11' 20''$ W. $20''$ N. dist. of
a Do 5 " " " $43^{\circ} 30' 14''$ " " "

81.36 To Sec. Corner

North Return Sect. 20 & 21 -

33.70 a W. ash 14 in. dia.

40.00 Ltg. Sec. Post from which
a Hornbeam 16 in. dia. bears $46^{\circ} 4' 10''$ W. $10''$ N. dist. of
a Do 5 " " " $46^{\circ} 3' 16''$ " " "

45.00 Enter fallen timber

59.08 a Beech 12 in. dia.

63.50 a Swamp Stream 50 ft. wide corner S. W.

80.00 Ltg. Post on to Sect. 16, 17, 20 & 21 from which
an Ironwood 3 in. dia. bears $N 34^{\circ} E 16''$ W. dist. of
a Cherry 14 " " " $45^{\circ} 10' 7''$ " " "
 1^{st} $\frac{1}{2}$ mile Sand good 2^{nd} rate rolling. Beech,
ash, Sugar &c. Last $\frac{1}{2}$ mile 3^{rd} rate worst -
Timber fallen, ungt. Ironwood, Cherry, Horn-
beam, P. ash & brushy & very thick

East on Random between Sect. 16 & 21 -

22.26 a Stream 50 ft. wide corner S. W.

40.00 Ltg. temp. gr. Sec. Post

81.70 Intersect. M. S. line 14 ft. N. of Post on a
variation of $5^{\circ} 30' E$

Sand 3^{rd} rate, level & wet Timber fallen,
ungt. Cherry, Ironwood, ash, P. ash, Birch &c

West Corner between Sect. 16 & 21 -

40.85 Ltg. Sec. Post at amag dist. from which
a Beech 5 in. dia. bears $N 35^{\circ} E 12''$ W. dist. of
a Hornbeam 3 " " " $45^{\circ} 11' 18''$ " " "

81.70 To Sec. Corner

May 11th 1872.

North Return Sect. 16 & 17 -

435

N. D. N. - R. G. E. 2nd Mer. Indiana.

40.00 Let g. Sec. post from which
a Ironwood 3 in. dia. bears N 76° W 7 W. dist. 4
a Hornbeam 3 " " " " S 19° E 2 " "

45.00 Scan the fallen Timber

59.58 a W. Oak 40 in. dia.

80.00 Let post onto Sec. 8, 9, 16 & 17 from which
a Maple 10 in. dia. bears S 10° E 66 W. dist. 4
a W. Oak 6 " " " " S 61° E 43 " "

Land low & swampy 3rd rate. Timber on
1st 1/2 mile fallen. On last 1/2 mile Maples,
Rush, Ash, Hickory & - - - Hornbeam.
Black Cherry, Burs & very thick in fallen timber

East on Random Return Sec. 9 & 16.

40.00 Let temp. g. Sec. post-

70.00 Enter fallen Timber

83.13 Intersect Mt. line 37 W. N. of post on
a variation of 5° 30' E -

Land low & wet 3rd rate. Timber Beech, Ash,
Maple, Hickory &

West Corner Return Sec. 9 & 16.

18.88 a B. Oak 32 in. dia.

42.56 Let g. Sec. post (or range dist.?) from which
a Spruce 16 in. dia. bears N 60° W 5 W. dist. 4
a Do 5 " " " " S 74° E 20 " "

63.83 a W. Oak 6 " " "

83.13 To Sec. Corner May 12th 1822.

North Return Sec. 8 & 9.

25.14 a W. Ash 10 in. dia.

40.00 Let g. Sec. post from which
a Red bud 4 in. dia. bears N 73° W 26 W. dist. 4
a Do 4 " " " " S 62° E 8 " "

63.33 a Swamp Ash 12 " " "

80.00 Let post onto Sec. 4, 5, 8 & 9 from which -

W. D. N. R. G. E. J. Mer. Indiana.

a Hornbeam 4 in. dia. bears N 57 W 15 W. dist. 15
a Red Elm 6 " " " 453 E 7 " "
Land lent. in swampy 3rd rate. Timber
Ash. Elm. Maple. Beech & ungth Spruce.
P. Ash. Hornbeam &

East of Random between Sec. 4 & 9.

40.00 Set temp. ga. Sec. post

83.39 Intersect Rd. line 20 W. N. of post as
a variation of 5° 15' E

Land lent 3rd rate. Timber Beech. Ash. Elm.
Oak. Hickory & ungth Spruce. P. Ash & -

West corner between Sec. 4 & 9

25.49 a W. Ash 12 in. dia.

41.69 Set ga. Sec. post at average dist. from which
a Sugar 9 in. dia. bears N 78 W 15 W. dist. 8
at Beech 18 " " " N 66 E 20 " "

83.39 To Sec. corner

North between Sec. 4 & 5

30.17 a W. Ash 8 in. dia.

40.00 Set ga. Sec. post from which

a Beech 14 in. dia. bears N 32 E 11 W. dist. 8

a Do 18 " " " 463 W 18 " "

66.28 a Hickory 12 " "

82.50 Intersect Rd. line 645 W. N. of post

where set post con. to Sec. 4 & 5 from which

a W. Elm 12 in. dia. bears N 85 E 17 W. dist. 15

a Do 5 " " " 448 W 10 " "

Land lent 1st & 2nd 3rd rate. Timber Ash. Oak. Elm.
Hickory & ungth Spruce. P. Ash &

May 13th 1822 -

North between Sec. 31 & 33

.30 a Stream 25 W. wide corner W.

437

J. D. N. R. & E. 2nd Mer. Indiana.

23.50 at Beech 18 in. dia.

40.00 Let gr. Sec. post from which
an Elmwood 2 in. dia. bears N 67 W 5 W. dist. 1/2
a Sugar 12 " " " 4 1/2 W 4 " "

68.83 at Hickory 12 " "

80.00 Let post cut to Sec. 29. 30. 31 & 32 from which
a Beech 18 in. dia. bears N 0 W 24 W. dist. 1/2
a Do 8 " " " 4 1/2 E 18 " "
Sand rolling good 2nd rate. Timber Beech. Ash.
Sugar. Oak & Angth Spice &

East in Random between Sec. 29 & 32 -

44.00 Let temp. gr. Sec. post

80.07 Intersect W. line 120 W. N. of post
Sand, Timber & same as on the last line.

West Corner between Sec. 29 & 32 -

21.30 at Beech 10 in. dia.

40.03 1/2 Let gr. Sec. post at same dist. from which
an Elmwood 6 in. dia. bears S 44 W 10 W. dist. 1/2
an Ash 14 " " " N 85 E 3 " "

60.30 at W. Oak 6 " "

80.07 To Sec. corner

West Between Sec. 30 & 31 -

30.34 an Elm 34 in. dia.

40.00 Let gr. Sec. post from which
a Beech 5 in. dia. bears S 80 W 10 W. dist. 1/2
a Do 7 " " " S 85 E 25 " "

51.00 a Swamp Stream 50 W. side Corner of M

77.96 Intersect W. Bound. line 124 W. E. of post
when set post cut to Sec. 30 & 31 from which
a W. Oak 12 in. dia. bears S 33 W 33 W. dist. 1/2
an Ash 6 " " " N 49 W 30 " "
Sand rolling good 2nd rate. Timber Beech. Ash.
Oak. Hickory & Angth Spice &

W. D. N. R. G. E. D. M. Indiana.

North Bottom Sec. 29 & 30 -

- 9.25 a Stream 5th side Corn S. M.
 32.34 a Buck 20 in. dia.
 34.90 a Swamp Stream 5th side Corn S. M.
 40.00 Set q. Sec. Post from which
 a W. Oak 48 in. dia. bears North 14 W. dir. 8
 an Ash 8 " " " S 14 W 30 " "
 54.64 a Sugar 29 " "
 80.00 Set Post ca. to Sect. 19, 20, 29 & 30 p. which
 an Ash 5 in. dia. bears South 1 W. dir. 8
 a Buck 24 " " " N 65 W 20 " "
 Land rolling 2^d rate. Timber Buck. Ash.
 Sugar Oak & Ung^d. Spruce &

East or Random Bottom Sec. 20 & 29 -

- 31.00 a Swamp Stream 5th side Corn S. M.
 40.00 Set temp. q. Sec. Post
 79.91 Intersect. Rd. line 40 W. N. of Post
 Land rolling good 2^d rate. Timber Buck. Ash.
 Oak. Hickory & Ung^d. Spruce &
 May 14th 1872.

West Corner Bottom Sec. 20 & 29 -

- 39.95 a Sugar 18 in. dia. p. q. Sec. Post from which
 a Sugar 34 in. dia. bears N 31 W 5 W. dir. 8
 a Cherry 20 " " " S 5 W 38 " "
 58.95 an Ironwood 5 " "
 79.91 To Sec. Corner.

West Bottom Sec. 19 & 30 -

- 21.79 a B. Oak 48 in. dia.
 32.00 Center a Swamp -
 37.00 Lean the Do
 40.00 Set q. Sec. Post from which
 a Mulberry 5 in. dia. bears N 89 W 8 W. dir. 9
 an Ironwood 5 " " " N 31 E 20 " "

439

S. D. N. R. G. E. 2nd Mer. Indiana

59.95 a Beech 18 in. dia.
 77.78 Intersect N. Road. line 163 M. E. of post
 when set Post Co. to Sec. 19 & 20 from which
 an Ash 10 in. dia. bears N 81 E 14 W. dist. 8
 an Elm 5 " " " N 88 W 14 " "
 Land lent 2nd rate. Timber for same as before

North Between Sec. 19 & 20 -

21.63 a W. Ash 14 in. dia.
 25.00 Enter Fallow Timber
 40.00 Set g. Sec. Post from which
 an Ironwood 3 in. dia. bears N 89 E 20 W. dist. 8
 a Hickory 10 " " " 89 E 33 " "
 80.00 Set Post Co. to Sec. 17, 18, 19 & 20 from which
 an Ironwood 5 in. dia. bears N 56 E 29 W. dist. 8
 a Cherry 8 " " " N 83 W 14 " "
 Land lent 2nd rate. Timber mostly fallen.
 Ungth Ironwood. P. Ash. Pines &

East or Random between Sec. 17 & 20 -

40.00 Set temp. g. Sec. Post in fallow timber
 80.45 Intersect N. line 25 M. E. of Post
 Land lent 2nd rate. Timber fallen. ungth as above

West or general between Sec. 17 & 20 -

40.25 Set g. Sec. Post at average dist. from which
 an Ironwood 3 in. dia. bears N 38 W 10 W. dist. 8
 a Do 3 " " " 61 E 15 " "
 80.45 To Sec. Corner. May 15th. 1822 -

West Between Sec. 18 & 19 -

15.63 a Maple 18 in. dia.
 25.00 Leave the fallow timber
 40.00 Set g. Sec. Post from which
 a Beech 10 in. dia. bears N 49 E
 a Do 12 " " " 68 W 2 W. dist.

St. N. R. G. E. 3rd Mer. Indiana

57.07 a Hickory 18 in. dia.
 77.10 Intersect W. Bound. line 211 W. S. of post
 where set post on to Sec. 18 & 19 from which
 a Beech 18 in. dia. bears S 40° W 16 W. dist 4
 a Do 10 " " " N 52° E 29 " "
 Land lent good 3rd rate Timber Beech, Ash,
 Oak, Hickory & ungth Spruce, Ironwood &

North Between Sec. 17 & 18

32.07 a Maple 10 in. dia.
 40.00 Set g. Sec. post from which
 a B. Walnut 6 in. dia. bears N 30° W 10 W. dist 4
 an Ironwood 3 " " " S 8° E 15 " "
 41.50 Enter a Swamp.
 53.50 Leave the Do
 60.00 Set post on to Sec. 7, 8, 17 & 18 from which
 a Bur Oak 5 in. dia. bears S 78° W 8 W. dist 4
 a W. Elm 6 " " " S 65° E 15 " "
 Land lent & swampy 3rd rate. Timber Ash,
 Elm, Maple & ungth P. ash, Willow &

East on Random between Sec. 8 & 17

30.00 Enter a Swamp.
 40.00 Set temp. g. Sec. post
 50.00 Leave the Swamp
 75.00 Enter a "
 79.81 Intersect W. line 72 W. S. of post
 Land lent 3rd rate. very poor Timber
 Beech, Ash, Elm & ungth P. ash &

West Corner between Sec. 8 & 17

39.90 Set g. Sec. post at average dist. from which
 an Ash 20 in. dia. bears N 9° E 11 W. dist 4
 an Elm 12 " " " S 12° E 25 " "
 79.81 To Sec. Corner May 16th 1822

441

J. D. N. & C. G. E. 2nd Mer. Indiana

West Return Sec. 7 & 18 -

- 27.53 an Elm 14 in. dia.
 40.00 Set g. Sec. Post from which
 a Maple 8 in. dia. bears S 7 E 10 in. dir. &
 an Elm 14 " " " N 32 E 22 " "
 53.69 a W. Oak 24 " "
 77.02 Intersect W. Bound. line 242 W. S. of Post -
 where set Post Cr. to Sec. 7 & 18 from which
 an Ironwood 4 in. dia. bears N 37 W 9 in. dir. &
 a Dogwood 4 " " " N 75 E 5 " "
 Land lent 3rd rate, Timber Ash. Elm. Maple,
 & Ungth P. Ash &

North Return Sec. 7 & 8 -

- 19.75 a Beech 14 in. dia.
 40.00 Set g. Sec. Post from which
 a W. Ash 18 in. dia. bears S 5 E 12 in. dir. &
 a Do 8 " " " N 30 W 18 " "
 59.33 a Maple 20 " "
 80.00 Set Post Cr. to Sec. 5, 6, 7 & 8 from which
 a W. Oak 14 in. dia. bears N 81 W 9 in. dir. &
 a Do 40 " " " S 57 E 17 " "
 Land lent 3rd rate Timber Beech. Ash,
 Hickory & Ungth Spice. P. Ash &

East on Random Return Sec. 5 & 8 -

- 40.00 Set temp. g. Sec. Post -
 79.73 Intersect N. line 83 W. S. of Post
 Land lent 3rd rate. Timber Beech. Ash. Hick-
 ory. Oak. Elm & Ungth Spice. Ash. P. Ash &

West Corner Return Sec. 5 & 8

- 19.22 a Beech 12 in. dia.
 39.82 Set g. Sec. Post at a mag. dir. from which
 a W. Elm 9 in. dia. bears N 78 W 8 in. dir. &
 a Do 24 " " " S 25 W 13 " "

S. I. N. R. G. E. 2nd Mer. Indiana

79.73 To Sec. Corner -

West Between Secs. 6 & 7 -

16.00 Enter a Pond

20.00 Leave the Dr

24.30 a W. Ash 30 in. dia.

41.00 Set g. Sec. Post from which
a W. Oak 60 in. dia. bears West 60° dist. 1/2
a Beech 15 " " " 27° 0' 6 " "

60.47 a Do 18 " "

76.29 Intersect N. Round. line 290 W. of Post -
where Set Post on. to Sec. 6 & 7 from which
an Ironwood 4 in. dia. bears S 84° W 4 W. dist. 1/2
a Beech 4 " " " N 70° E 4 " "Sault level 2nd rate. Timber Beech. Ash. Oak,
Sugar & Ungth. Spruce, P. Ash &c.

North Between Secs. 5 & 6 -

29.50 a W. Ash 22 in. dia.

40.00 Set g. Sec. Post from which

a Red Elm 5 in. dia. bears N 34° W 18 W. dist. 1/2
a Swamp Ash 10 " " " 33° E 22 " "

60.50 Enter a Swamp.

68.50 Leave the Dr

69.36 a Honey Locust 12 in. dia.

83.75 Intersect N. Round. line 683 W. of Post -
where Set Post on. to Sec. 5 & 6 from which
a Hickory 10 in. dia. bears S 81° E 13 W. dist. 1/2
a Dogwood 3 " " " N 38° W 29 " "Sault level 3rd rate. Ash. Beech. Oak,
Maple, Hickory &c ungth. Spruce. P. Ash &c.May 18th 1892 Surveyed by
Geo. G. Nott
Jep. Surrency

443
C. D. N. R. G. E. 2nd Mer. Indiana

I certify that the foregoing transcript
of the Field Notes of Lordship D. North,
in Range 9 East of the 2nd Meridian
in Indiana, has been compared with
the original in this Office, and found
to be correct.

Surveyor General's Office,
Cincinnati Dec. 30th 1845

William Johnston
Secy. Genl.